

charge. fast. anywhere. Your mobile charging unit



charge. fast. anywhere. All that your EV needs Version 1.0





1. Download the app



2. Inital connection of the NRGkick app via Bluetooth and enter access code



3. Setup and managing the WiFi connection



4. Setup of the cloud accout with the setup wizzard



5. Change or reset access code



6. Set charge limits in the app



7. Configuration of automatic charging reports



events with the app





10. Purchase/Setup of PV-led Charging




11. Kontaktmöglichkeiten/Support

8. Time control configuration: manage charging


9. Setup/connection of store networks (OCPP)

1. Download the app


1.1. Download the NRGkick app on your smartphone. It is available for Android in the "Google Playstore" and for iOS in the "App Store".




Attention: The App "NRGkick Classic" is the app for the old NRGkick, do not download it!




1.2. Open the app and get close to the NRGkick (< 10m), as the connection is first established via Bluetooth. (**Important**: Location must be activated!)






1.3. A new NRGkick, without pre-configuration, appears in the selection list under the Name "User01".

2. Initial connection of the NRGkick app via Bluetooth and enter access code



2.3. Optionally, you can change the name of the NRGkick now or do this step later.




3. Setup and managing the WiFi connection






3.2. Select the desired WiFi network.

Note: the hotspot of your own smartphone can also be used here.







3.4. You can then assign a location to your WiFi. The location can later be included in the charging reports.

4. Setup of the cloud account with the setup wizzard





4.2. To create a new, free cloud account, tap "Register".




4.3. After entering and tapping on "Create account" you will receive an email. Open it and click on the activation link there. Your registration is now confirmed.

4.4. Switch back to the app and tap "Link with account". Your NRGkick is successfully linked to your cloud account.




4.5. If no cloud account is set up during the initial setup, you can do this at any time. To do this, open the app and get close to the NRGkick (< 10m), as the connection is initially established via Bluetooth.

After you are connected to the NRGkick, proceed as below:





4.6. Tap the button in the upper right corner that will take you to the settings.

4.7. In the settings, tap the "Configure" button under "NRGkick Cloud" and then proceed as described on the previous pages.



5.1. Change the access code: Go to Settings, scroll down to "Security" and tap "Access control".





A field to change the access code appears. Enter the new code and tap "Confirm". The access code has been successfully changed. **5.2.** Reset to default password: If you forgot the password you can reset it by the following steps:

 plug in NRGkick - 8A flashes 8 times
 press 24A IMMEDIATELY and hold it for about 10sec.

3. as a sign of successful reset, all LEDs flash 3x slowly.

ATTENTION: Charging data and charging processes not transmitted via WLAN will be lost during reset. Therefore, if possible, connect the unit to the Internet and the cloud to back up the charging processes before resetting.

6. Set charge limits in the app




6.1. Even with vehicles that do not have an adjustable charge limit, NRGkick can prevent the battery from being permanently fully charged. To do this, open the settings at the top right.



12:00	- ≎ III ≎ -
Settings NRGKICK1 🖍	
Costs	
Price per kWh	<u>0,25 €</u>
Currency	EUR
Battery capacity Consumption	62 kWh
Unit	<u>kWh/100km</u>
Security	
Here you can char	nge the access your NRGkick

6.2. Under "Battery capacity" you can define the battery size. Slide the setting area down to save the change.

6.3. Under the "Charge" section, you can now set the charging quantity regulator to the desired charging quantity.





When charging starts with 30% SOC (battery charge level), move the slider to the middle (50%); this ends the car charge at 80% and thus preserves the battery.

7. Configuration of automatic charging reports

NRGkick can send automated charging reports to a defined email address.

To use this function, the cloud account must be set up once and the charging report function must be configured.


Charging reports can be sent e.g. weekly, monthly or for individually defined periods.

Charging reports can be submitted as PDF and/or CSV files.

NRGkick requires a connection to the Internet in order to submit charging reports.



7.1. On the home page, go to the "Extended" section.



Tap the "Configure reporting" button in the "Charging Reports" section.

12:00	•	.ul 🗢 🗖
چ (2)	User 01	않
Energy (7,96 €	costs	Charged 31,85 kWh
🕖 CO2 Sav 26,68 k	ved g	✓ Distance 176,96 km
Details	• • • •	Extended
Time Control		(-)
	0 12:00 	
Charging Re	eports	\bigcirc
C	onfigure reporti	ng
Charging N	etwork	
<u> </u>		
-		_

12:00		ul ≎ 🗖
Here you o	can select a times eport that is sent t d email address.	pan and
Timespa	an	
Monthly		
Weekly		
Recipier	nt	
E-Mail		
patricia.pir	ker@dinitech.at]
Interim Selected T		
	Last 7 Days	
	Last 30 Days	
	Custom Times	ban
From:	10.09.2023	

7.2. Enter the report timespan and the recipient mail address here.

7.3. A file name prefix and a user-defined field, such as an indicator or employee number, can also be entered in the charging report. The selection of the userdefined field can be changed by scrolling on the gray background area..

12:00				خ الا	
From:		10.09.20	023		
То:		10.10.20	023	Ľ.	
Format					
PDF		CSV		PDF+CSV)
Filename	e pre	fix			
Set an op name of y					
Prefix					
Prefix Name					
Name	field	94 20			_
Prefix Name Custom Add a cus charging	stom	field to y	your		_
Name Custom Add a cus	stom repor	field to y			
Name Custom Add a cus	stom repor Car I	field to y t.)

the unit has a SIM).


You have the possibility to configure the charging


- reports according to your needs!
- You can send monthly and/or weekly and reports, or reports for custom periods as PDF and/or CSV file. We recommend selecting both file formats.
- In the "Recipients" section you specify to which email address the reports will be sent.
- Charge reports can only be sent if your NRGkick has a connection to the Internet (for example, a WLAN network has been set up and is in range, or
- There are also customizable fields that can be added to the report (e.g. license plate, user, ...) and also the file name can be customized!



8.1. On the app's home page, go to the "Advanced" section and tap "Time Control".

Tap the desired day of the week in the list.








8.2. Tap on "Add event" to add start and end times.

8.3. The charging current and/or the charging quantity can be set individually. Specify the desired settings and then tap "Save".


12:00			-ul ≎ [
Monday	Add	event	
Create and o Depending o have differe	on the s	elected ty	/pe, you
Charge Ampere: 16 Energy limit	6.0 A : 30.0 kW		tart: 12:00
Charg	je	No	Charge
Start time			
Start time	11	59	
Start time	12	00	
Start time		070070	
Start time	12	00 01	y limit
Ampere	12 13	00 01 Energ	
Ampere	12 13	00 01 Energ	y limit 30 <mark>k</mark> Wh
Ampere	12 13	00 01 Energ	
Ampere	12 13	00 01 Energ	
Ampere	12 13	00 01 Energ	


8. Time control configuration: manage loading events with the app



8.4. After saving, a blue bar indicates the time of charging. Charging does not take place during the period marked in yellow.


8.5. Several different chargingwindows can be defined for one day.With "Transfer events" a day profilecan be transferred to other weekdays.





8.6. To do this, click on "Transfer events" and activate the desired days. Then tap on "Confirm".

8.7. The slide switch next to "Configuration activated" can be used to activate or deactivate the Time Control.



9. Setup/connection of store networks (OCPP)

6

NRGkick offers OCPP as an optional upgrade. This allows communication via OCPP (Open Charge Point Protocol) using ChargePointOperators (CPOs), for example, to transmit charge data for billing purposes. Some providers are already preconfigured (and more are being added all the time) - but you can also enter the required data yourself.

Your NRGkick is managed in a central management system and can be controlled together with other charging points. Thus, operators of charging networks can easily include, manage and support NRGkick.

Note:

OCPP is used by corporate customers and is not required for private users.


There are three different OCPP variants to choose from:

- 1. manual input by the user himself
- 2. a predefined user is selected
- 3. configuration by Dinitech




9.1. Go to the "Extended" section and scroll down. Tap on "Charging Network".

12:00		÷ III.	
چ (NRGKICK1		•
Details	Charge	Extended)
Time Contr Time Control is:		e)
	00 12:00 	18:00 24:0 	0
	Reports itermann@mail.com arging reports a)
Charging N	letwork)
a	— × -	C)



9.2. If the charging network partner is permanently integrated, select "Predefined". Connection URL and charger ID are pre-filled in this case (from components of the NRGkick serial number).


9. Setup/connection of store networks (OCPP)



Fill in user ID: Depending on the provider, the user ID is either filled in automatically (as part of the NRGkick serial number) or must be entered manually.

When all information is completed, you can confirm the entry with the blue tick.

9.3. If your store network provider is not preconfigured, all data can also be entered manually under "Custom" and confirmed with the blue check mark.



9.4. After a few seconds, the connection to the charging network is established.


11:07	•	
≎ ©		≅
Details	Charge	Extended
Time Contro Time Control is: a		\bigcirc
00:00 06:0	0 12:00 	18:00 24:00
	Reports termann@mail.com rging reports a	
Charging N Connected	Jetwork	Ð
a —	- 🕢 -	O

This now enables the automatic recording of all charging processes for fleet managers.

10. Purchase/Setup of PV-led Charging




10.1. In the "Extended" section you can buy the "PV-led Charging" license.



Configu chargin	ar Charging are your NRGkick with your solar g system to charge your EV with ver of the sun.	
-ò:-	Utilize solar power to charge your EV	
ţţţ	Configure multiple solar charging profiles for your environment	
	Monitor charging details for deep insights	
	Get license	

Il be added directly to your complete the purchase.



Å

÷.

0 kW


ً


0

10.2. Tap on "Get license". After tht you will be redirected to our website.

10. Kauf/Einrichtung PV-geführtes Laden

10.5. Tap on "Configure PV Charging" to start the configuration.







10.6. First you have to name your profile. Then tap on *"*Continue".

10.7. Now all found devices in the network are automatically added to the profile. This only works for the brands Fronius and SMA, other devices can be added manually. How to add devices manually is described in detail in the document "PV manual extended".

	12:00	•
<	Back	
0	Device Confi	gurat
	Here you can see all devi automatically found by N network. Tap on a device options or remove it from	RGkick or to chang
	Inverter	
	DiniTech SMA Peak Power DC IP-address	5 192.168.1
	BYD HVS DINITECH GMBH	Froni
	Peak Power DC IP-address	1 192.168.1
	Smart Meter	
	Smart Meter TS 65A-3	Froni
	Location IP-address	192 .168.1



10.8. Now tap on the desired PV charging strategy.





a smart meter, we recommend the 100% sun setting.



Surplus - Options

Use the following options to customize vour profile even more.

Strategy:

Back

Surplus ≎

Options that are not compatible with the selected strategy are greyed out.

Average home consumption (1)

Reduces charging power by the specified value. Useful for excess charging if no smart meter is available or accessible.

Value:

250 w

Global Offset (i)


Reserves PV power for other loads or accelerates charging.


Value:

Grid Offset (i)

The dynamic grid offset makes sure no energy gets drawn from the grid. The grid


10.9. In the respective strategy there is a variety of other settings that you can adjust. These settings are described in detail in the document "PV-led charging advanced".






10. Kauf/Einrichtung PV-geführtes Laden

10.10. If you have made all the settings you want, tap "Save".






10.11. Tap on "Complete" to finish the PV configuration.

charging feature.

	12:00		
	PV Cha Configure and function. Conr use your solar possible.	activate the P nect to your inv	ver
0 0 0	PV Charging ac State: State Info:	tive	
		09:35 09:35 09:35 0 Гар for Fullscreen	9:35
	Sun 0,00 kW	Grid 0,00 kW	H O
	Battery 0,00 kW	Battery SOC 0,0 %	S 0
	Charging P	ower	

10.12. Once you have successfully set up your profile, you will be redirected to the overview page and just need to activate the PV guided





If you have any further questions or need help, please feel free to contact us by phone or email:

DiniTech GmbH +43 664 537 62 51 office@nrgkick.com

Support +43 664 401 13 50 support@nrgkick.com